

SAMPLE RECEIVED
August 27, 2026

COA ISSUED
September 2, 2026

SAMPLE INFORMATION

Vendor Glow Peptides	Sample Name GLOW 3mg	Sample Type Capsule
Lot Number 2605-SXH-GL3-01	MW (g/mol) 403.2, 1419.5, 4964.2	


ANALYTICAL METHODS

Identity: Confirmed via LC-MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: GLOW	GHK-Cu, BPC-157, TB-500	LC-MS/MS	✓ Conforms
Content	2.17, 0.52, 0.53 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.77%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/ml	<USP85>	✓ Conforms

HPLC Chromatogram · Retention Time 1.930, 9.125, 9.199 min



Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use. Verify authenticity at bioviridians.com/coa-search.html using the Web Verification Code above.



Shane Straight
Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.